

























Profile Drawing	ZF Code	Descrizione Product Name	Materiale Material	Durezza (Shore A) Hardness	Applicazione Application	Pressione (Bar) (Max) Working Pressure	Temperatura (Max) Working Temperature	V/Ms (Max) Sliding Speed	Pagina Page
HYDRAULIC SEALING ELEMENTS									
	A101	PISTONE - STELO <i>U-RING ROD PISTON SEAL</i>	NBR PU	90 92	PISTONE-STELO <i>PISTON-ROD</i>	160 400	-30+105 -30+100	0.5 0.5	32
	A102	PISTONE <i>U-RING PISTON</i>	NBR PU	90 92	PISTONE <i>PISTON</i>	160 400	-30+105 -30+100	0.5 0.5	50
	A103	PISTONE <i>HEAVY DUTY PISTON SEAL</i>	NBR PTFE+BRONZE POM	80 - -	PISTONE <i>PISTON</i>	400	-30+105	1.5	54
	A104	PISTONE <i>COMPACT SEAL</i>	NBR FABRIC NBR POM	80 - -	PISTONE <i>PISTON</i>	400	-30+105	0.5 0.5	56
	A105	PISTONE <i>COMPACT SEAL</i>	NBR TPE POM+CAM ELYAF POM+GLASS FILLER	80 - -	PISTONE <i>PISTON</i>	400	-30+105	0.5	58
	A107	PISTONE-STELO <i>ROD PISTON SEAL</i>	NBR FABRIC NBR	80 90	PISTONE-STELO <i>PISTON-ROD</i>	250	-30+105	0.5	64
	A109	PISTONE <i>COMPACT SEAL</i>	NBR TPE POM+CAM ELYAF POM+GLASS FILLER	80 - -	PISTONE <i>PISTON-ROD</i>	600	-30+105	0.5	68
	A110	PISTONE <i>PISTON SEAL</i>	NBR PU	80 98	PISTONE <i>PISTON</i>	400	-30+105	0.5	70
	A120	STELO <i>V-PACK ROD</i>	NBR FABRIC NBR POM	90 - -	STELO <i>ROD</i>	400	-30+105	0.5	74
	A121	STELO <i>V-PACK PISTON</i>	FABRIC NBR POM	- -	STELO <i>PISTON</i>	400	-30+105	0.5	78
	A122	STELO <i>V-PACK ROD</i>	NBR FABRIC NBR POM	90 - -	STELO <i>ROD</i>	400	-30+105	0.5	80
	A123	PISTONE <i>PISTON SEAL</i>	NBR PU	70 98	PISTONE <i>PISTON</i>	250	-30+100	0.5	82
	A127	PISTONE <i>HEAVY DUTY PISTON SEAL Z CUTTED</i>	TERMOPLASTICO MODIFIED THERMOPLASTIC NBR	80	PISTONE <i>PISTON</i>	800	-30+105	1.0	84
	A151	STELO <i>U-RING ROD</i>	NBR PU	90 92	STELO <i>ROD</i>	160 400	-30+105 -30+100	0.5 0.5	86





Profile Drawing	ZF Code	Descrizione Product Name	Materiale Material	Durezza (Shore A) Hardness	Applicazione Application	Pressione (Bar) (Max) Working Pressure	Temperatura (Max) Working Temperature	V/Ms (Max) Sliding Speed	Pagina Page
HYDRAULIC SEALING ELEMENTS									
	A152	STELO HEAVY DUTY U-RING ROD	PU POM NBR	92 - 70	STELO ROD	600	-30+100	0.5	92
	A153	STELO U-RING ROD	PU POM	92 -	STELO ROD	400	-30+100	0.5	96
	A154	STELO U-RING ROD	PU	92	STELO ROD	400	-30+100	0.5	100
	A155	STELO ROD SEAL	NBR TPE POM	80 - -	STELO ROD	700	-30+105	0.5	108
	A156	STELO ROD SEAL	NBR FABRIC NBR POM	80 - -	STELO ROD	400	-30+105	0.5	110
	A157	STELO U-RING ROD	PU	92	STELO ROD	400	-30+100	0.5	116
	A209	STELO BUFFER RING	PU POM	92 -	STELO ROD	400	-30+100	0.5	120
WIPERS									
	A201	RASCHIATORE WIPER	PU	92	STELO ROD	-	-30+100	1.0	124
	A202	RASCHIATORE WIPER	NBR PU	90 92	STELO ROD	-	-30+105 -30+100	1.0	126
	A204	RASCHIATORE WIPER	NBR PU	90 92	STELO ROD	-	-30+105 -30+100	1.0	132
	A205	RASCHIATORE DOUBLE WIPER	NBR PU	90 92	STELO ROD	-	-30+105 -30+100	1.0	136
	A206	RASCHIATORE HEAVY DUTY WIPER	TPE	-	STELO ROD	-	-30+105	1.0	140
	A208	RASCHIATORE DOUBLE WIPER	NBR PU	90 92	STELO ROD	-	-30+105 -30+100	1.0	146



Profile Drawing	ZF Code	Descrizione Product Name	Materiale Material	Durezza (Shore A) Hardness	Applicazione Application	Pressione (Bar) (Max) Working Pressure	Temperatura (Max) Working Temperature	V/Ms (Max) Sliding Speed	Pagina Page
GUIDE ELEMENTS									
	A251	GUIDE PISTON ROD GUIDE RING	POM+FIBRA VET POM+ GLASS FILLER	-	PISTONE-STELO PISTON ROD	-	-30+125	1.0	152
	A255	GUIDE POLYESTER RESIN GUIDE RING	POLYESTER RESIN	-	PISTONE-STELO PISTON ROD	-	-40+125	1.0	158
	ABT	GUIDE GUIDINING ELEMENT BRONZE-PTFE	PTFE+BRONZE	-	PISTONE-STELO PISTON ROD	-	-60+200	15	162
	AKT	GUIDE GUIDINING ELEMENT CARBON-PTFE	PTFE+CARBON	-	PISTONE-STELO PISTON ROD	-	-60+200	15	164
	APR	GUIDE POLYESTER RESIN GUIDE RING	POLYESTER RESIN	-	PISTONE-STELO PISTON ROD	-	-40+120	1.0	166

PTFE SEALING ELEMENTS

	A301	PISTONE PISTON SEAL	PTFE+BRONZE NBR	- 70	PISTONE PISTON	400	-30+105	5	170
	A302	PISTONE SINGLE ACTING SEAL	PTFE+BRONZE NBR	- 70	PISTONE PISTON	400	-30+105	5	174
	A304	ROTANTE ROTARY ROD SEAL	PTFE+BRONZE NBR	- 70	STELO ROD	300	-30+105	5	178
	A305	RASCHIATORE WIPER	PTFE+BRONZE NBR	- 70	STELO ROD	-	-30+105	5	182
	A307	ROTANTE ROTARY PISTON SEAL	PTFE+BRONZE NBR	- 70	PISTONE PISTON	300	-30+105	5	186
	A311	STELO ROD SEAL	PTFE+BRONZE NBR	- 70	STELO ROD	400	-30+105	5	190



Profile Drawing	ZF Code	Descrizione Product Name	Materiale Material	Durezza (Shore A) Hardness	Applicazione Application	Pressione (Bar) (Max) Working Pressure	Temperatura (Max) Working Temperature	V/Ms (Max) Sliding Speed	Pagina Page
STATIC SEALING ELEMENTS									
	A402	FLANGIA STATICA FLANGE SEAL	PU	92	-	630	-30+100	-	198
	A403	STELO COVER SEAL ROD	PU	95	-	630	-30+100	-	200
	A404	PISTONE COVER SEAL PISTON	PU	95	-	630	-30+100	-	202
PNEUMATIC SEALING ELEMENTS									
	A801	PISTONE PNEUMATIC PISTON SEAL	NBR SAC NBR SHEET METAL	80 -	PISTONE PISTON	16	-30+105	1.0	206
	A802	PISTONE PNEUMATIC PISTON SEAL	NBR PU	80 80	PISTONE PISTON	12 16	-30+105 -30+80	1.0 1.0	208
	C803	PISTONE SHORT STROKE PNEUMATIC PISTON SEAL	NBR	70	PISTONE PISTON	12	-30+105	1.0	210
	A807	PISTONE PNEUMATIC PISTON SEAL	NBR PU	80 80	PISTONE PISTON	12 16	-30+105 -30 + 80	1.0 1.0	212
	A808	PISTONE PNEUMATIC PISTON SEAL	NBR	70	PISTONE PISTON	12	-30+105	1.0	214
	A852	STELO PNEUMATIC ROD SEAL	PU	92	STELO ROD	16	-30+80	1.0	216
	A853	RASCHIATORE PNEUMATIC ROD SEAL	NBR PU	90 92	STELO ROD	12 16	-30+105 -30+80	1.0 1.0	218
	A854	STELO PNEUMATIC COMBI SEAL	NBR/TPE PU/TPE	80 92	STELO ROD	16 16	-30+105 -30+80	1.0 1.0	220
	A855	RASCHIATORE PNEUMATIC ROD SEAL	NBR PU	90 92	STELO ROD	12 16	-30+105 -30+80	1.0 1.0	221